Thank You for your download

Cisco 300-810 Exam Question & Answers (Demo) **Implementing Cisco Collaboration Applications Exam** Hittps://prepdayexams.com **Exam**

Version: 14.0

Question: 1	_						
Which authentication metho	od allows a	user to	log in to	an SSO-	enabled	Cisco	Unified
Communications application credentials to be entered?	by utilizing a	Microsoft	Windows	login, the	reby not	requir	ing any
A. Smart Card							
B. OAuth							
C. form-based							
D. Kerberos							
					Answ	er: B	
Explanation:							

Ouestion: 1

https://www.cisco.com/c/en/us/support/docs/unified-communications/jabber-windows/118773-configure-kerberos-00.html

The main advantage of Kerberos authentication compared to the other authentication methods is that you do not need to provide your credentials when you log in to Cisco Jabber. If you use Kerberos, the client does not prompt users for credentials, because authentication was already provided to gain access to the Windows desktop. This authentication method allows you to log in to Cisco Jabber with your Microsoft Windows login.

Question:	2
Question.	_

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

A. 10 minutes

B. 20 minutes

C. 30 minutes

D. 1 hour

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications/unified-communications/unified-communications-unified-communications/unifie

Availability.html

Automatic Fallback

Automatic fallback takes place when the server monitors the services and the Server Recovery Manager(SRM) service will automatically fallback users to their homed nodes. The key in this configuration is that the Server Recovery Manager(SRM) service will wait 30 minutes for a failed service/server to remain active before an automatic fallback is initiated. Once this 30 minute up time is established, user sessions are moved back to their homed nodes. The Jabber client will apply the re-log in upper and lower limits for the fallback. Automatic fallback is not the default configuration, but it can be enabled. To enable automatic fallback, change the Enable Automatic Fallback parameter in the Server Recovery Manager Service Parameters to value True.

Question: 3

A. identity provider	
B. session broker	
C. Internet service provider	
D. client access server	
	Answer: A
Explanation:	
Question: 4	

Which entity is a standard component used for authentication by SAML 2.0?

An engineer must configure a test user mailbox in a newly deployed Cisco Unity Express module. Which console command set reflects the correct configuration in this scenario?

A. (
username testuser create	
username testuser pin 12345 username testuser phonenumber 4001	
voicemail mailbox owner testuser	
Voicemaii malibox owner testuser	
B. T	i i
username testuser pin 12345	
username testuser phonenumber 4001	
voicemail mailbox owner testuser	
username testuser phonenumber 4001	
username testuser pin 12345	
voicemail mailbox owner testuser	
username testuser create	
username testuser pin 12345	I de la la ciclo III de la ciclo de la ci
username testuser phonenumber 4001 testuser@labd	lomain.com
voicemail mailbox create testuser	
Option A	
Option B	
Option C	
Option D	
	Answer: A
xplanation:	
Question: 5	

	Answer: D. F.
E. TFTP	
D. SERVICES_DOMAIN	
C. VOICEMAIL_SERVER_ADDRESS	
B. TFTP_ADDRESS	
A. CISCO_UDS_DOMAIN	

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_0/CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110/CJAB_BK_D657A25F_00_deployment- installation-guide-jabber-110_chapter_01100.html#JABW_RF_CE43EF4C_00

Explanation:

Thank you for your visit. To try more exams, please visit below link https://prepdayexams.com

