



**Thank You for your download**  
**Linux Foundation CKAD Exam Question & Answers**  
**(Demo)**  
**Certified Kubernetes Application Developer Exam**

# Version: 6.2

---

## Question: 1

---

Refer to Exhibit.



Set Configuration Context:

[student@node-1] \$ | kubectl

Config use-context k8s

Context

A web application requires a specific version of redis to be used as a cache.

Task

Create a pod with the following characteristics, and leave it running when complete:

- The pod must run in the web namespace.

The namespace has already been created

- The name of the pod should be cache
- Use the lfcncf/redis image with the 3.2 tag
- Expose port 6379

---

**Answer: See the solution below.**

---

Explanation:

Solution:

Readme Web Terminal THE LINUX FOUNDATION

```
student@node-1:~$ kubectl run cache --image=lfcncf/redis:3.2 --port=6379 -n web
pod/cache created
student@node-1:~$ kubectl get pods -n web
NAME    READY   STATUS             RESTARTS   AGE
cache   0/1     ContainerCreating   0           6s
student@node-1:~$ kubectl get pods -n web
NAME    READY   STATUS    RESTARTS   AGE
cache   1/1     Running   0           9s
student@node-1:~$
```

---

## Question: 2

---

Refer to Exhibit.



### Context

You are tasked to create a secret and consume the secret in a pod using environment variables as follow:

### Task

- Create a secret named another-secret with a key/value pair; key1/value4
- Start an nginx pod named nginx-secret using container image nginx, and add an environment variable exposing the value of the secret key key 1, using COOL\_VARIABLE as the name for the environment variable inside the pod

---

**Answer: See the solution below.**

---

Explanation:

Solution:

```

student@node-1:~$ kubectl create secret generic some-secret --from-literal=key1=value4
secret/some-secret created
student@node-1:~$ kubectl get secret
NAME                                TYPE                                DATA  AGE
default-token-4kvr5                kubernetes.io/service-account-token 3      2d11h
some-secret                        Opaque                              1      5s
student@node-1:~$ kubectl run nginx-secret --image=nginx --dry-run=client -o yaml > nginx_secret
.yml
student@node-1:~$ vim nginx_secret.yml

```

[Readme](#) [Web Terminal](#)

THE **LINUX** FOUNDATION

```

apiVersion: v1
kind: Pod
metadata:
  creationTimestamp: null
  labels:
    run: nginx-secret
  name: nginx-secret
spec:
  containers:
  - image: nginx
    name: nginx-secret
    resources: {}
  dnsPolicy: ClusterFirst
  restartPolicy: Always
status: {}
~
~
~
~
~
~
~
~
~
~
"nginx_secret.yml" 15L, 253C

```

1,1 All

[Readme](#) [Web Terminal](#)

THE **LINUX** FOUNDATION

```

apiVersion: v1
kind: Pod
metadata:
  labels:
    run: nginx-secret
  name: nginx-secret
spec:
  containers:
  - image: nginx
    name: nginx-secret
    env:
    - name: COOL_VARIABLE
      valueFrom:
        secretKeyRef:
          name: some-secret
          key: key1
~
~
~
~
~
~
~
~
~
~
-- INSERT --

```

16,20 All

Readme Web Terminal THE LINUX FOUNDATION

```
student@node-1:~$ kubectl get pods -n web
NAME      READY   STATUS    RESTARTS   AGE
cache     1/1     Running   0           9s
student@node-1:~$ kubectl create secret generic some-secret --from-literal=key1=value4
secret/some-secret created
student@node-1:~$ kubectl get secret
NAME                                TYPE                                DATA   AGE
default-token-4kvr5                 kubernetes.io/service-account-token 3       2d11h
some-secret                         Opaque                              1       5s
student@node-1:~$ kubectl run nginx-secret --image=nginx --dry-run=client -o yaml > nginx_secret.yml
student@node-1:~$ vim nginx_secret.yml
student@node-1:~$ kubectl create -f nginx_secret.yml
pod/nginx-secret created
student@node-1:~$ kubectl get pods
NAME            READY   STATUS             RESTARTS   AGE
liveness-http   1/1     Running            0           6h38m
nginx-101       1/1     Running            0           6h39m
nginx-secret     0/1     ContainerCreating  0           4s
poller          1/1     Running            0           6h39m
student@node-1:~$ kubectl get pods
NAME            READY   STATUS    RESTARTS   AGE
liveness-http   1/1     Running   0           6h38m
nginx-101       1/1     Running   0           6h39m
nginx-secret     1/1     Running   0           8s
poller          1/1     Running   0           6h39m
student@node-1:~$
```

### Question: 3

Refer to Exhibit.



#### Task

You are required to create a pod that requests a certain amount of CPU and memory, so it gets scheduled to a node that has those resources available.

- Create a pod named `nginx-resources` in the `pod-resources` namespace that requests a minimum of 200m CPU and 1Gi memory for its container
- The pod should use the `nginx` image
- The `pod-resources` namespace has already been created

**solution below.**

Explanation:

Solution:

A screenshot of a terminal window. The top bar is blue with a 'Readme' button and a 'Web Terminal' button. The terminal text shows a user running a kubectl command to create a pod with nginx resources, followed by a vim command to edit the generated manifest file.

[illegible]

Readme

Web Terminal

THE **LINUX** FOUNDATION

```
apiVersion: v1
kind: Pod
metadata:
  labels:
    run: nginx-resources
    name: nginx-resources
    namespace: pod-resources
spec:
  containers:
  - image: nginx
    name: nginx-resources
    resources:
      requests:
        cpu: 200m
        memory: 1Gi
```



```
student@node-1:~$ kubectl run nginx-resources -n pod-resources --image=nginx --dry-run=client -o
yaml > nginx_resources.yml
student@node-1:~$ vim nginx_resources.yml
student@node-1:~$ kubectl create -g nginx_resources.yml
Error: unknown shorthand flag: 'g' in -g
See 'kubectl create --help' for usage.
student@node-1:~$ kubectl create -f nginx_resources.yml
pod/nginx-resources created
student@node-1:~$ kubectl get pods -n pod-re

student@node-1:~$ kubectl get pods -n pod-resources
NAME          READY   STATUS    RESTARTS   AGE
nginx-resources 1/1     Running   0           8s
student@node-1:~$
```

---

## Question: 4

Refer to Exhibit.



### Context

You are tasked to create a ConfigMap and consume the ConfigMap in a pod using a volume mount.

### Task

Please complete the following:

- Create a ConfigMap named another-config containing the key/value pair: key4/value3
- start a pod named nginx-configmap containing a single container using the nginx image, and mount the key you just created into the pod under directory /also/a/path

---

**Answer: See the solution below.**

---

Explanation:

Solution:



```

student@node-1:~$ kubectl create configmap another-config --from-literal=key4=value3
configmap/another-config created
student@node-1:~$ kubectl get configmap
NAME          DATA   AGE
another-config 1       5s
student@node-1:~$ kubectl run nginx-configmap --image=nginx --dry-run=client -o yaml > nginx_configmap.yml
student@node-1:~$ vim nginx_configmap.yml ^C
student@node-1:~$ mv nginx_configmap.yml nginx_configmap.yml
student@node-1:~$ vim nginx_co

```

Readme
Web Terminal

THE LINUX FOUNDATION

```

apiVersion: v1
kind: Pod
metadata:
  creationTimestamp: null
  labels:
    run: nginx-configmap
  name: nginx-configmap
spec:
  containers:
  - image: nginx
    name: nginx-configmap
    resources: {}
  dnsPolicy: ClusterFirst
  restartPolicy: Always
status: {}
~
~
~
~
~
~
~
~
~
~
"nginx_configmap.yml" 15L, 262C
1,1
All

```

Readme
Web Terminal

THE LINUX FOUNDATION

```

apiVersion: v1
kind: Pod
metadata:
  labels:
    run: nginx-configmap
  name: nginx-configmap
spec:
  containers:
  - image: nginx
    name: nginx-configmap
    volumeMounts:
    - name: myvol
      mountPath: /also/a/path
  volumes:
  - name: myvol
    configMap:
      name: another-config
~
~
~
~
~
~
~
~
~
~
13,6
All

```



```

student@node-1:~$ kubectl create configmap another-config --from-literal=key4=value3
configmap/another-config created
student@node-1:~$ kubectl get configmap
NAME      DATA   AGE
another-config  1       5s
student@node-1:~$ kubectl run nginx-configmap --image=nginx --dry-run=client -o yaml > nginx_conf
igmap.yml
student@node-1:~$ vim nginx_configmap.yml ^C
student@node-1:~$ mv nginx_configmap.yml nginx_configmap.yml
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$

student@node-1:~$ kubectl run nginx-configmap --image=nginx --dry-run=client -o yaml > nginx_conf
igmap.yml
student@node-1:~$ vim nginx_configmap.yml ^C
student@node-1:~$ mv nginx_configmap.yml nginx_configmap.yml
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ kubectl create f nginx_configmap.yml
Error: must specify one of -f and -k

error: unknown command "f nginx_configmap.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_configmap.yml
error: error validating "nginx_configmap.yml": error validating data: ValidationError(Pod.spec.c
ontainers[1]): unknown field "mountPath" in io.k8s.api.core.v1.Container; if you choose to ignor
e these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_configmap.yml

```

[Readme](#)
[Web Terminal](#)

THE LINUX FOUNDATION

```

student@node-1:~$ kubectl create f nginx_configmap.yml
Error: must specify one of -f and -k

error: unknown command "f nginx_configmap.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_configmap.yml
error: error validating "nginx_configmap.yml": error validating data: ValidationError(Pod.spec.c
ontainers[1]): unknown field "mountPath" in io.k8s.api.core.v1.Container; if you choose to ignor
e these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ kubectl create -f nginx_configmap.yml
pod/nginx-configmap created
student@node-1:~$ kubectl get pods
NAME          READY   STATUS    RESTARTS   AGE
liveness-http 1/1     Running   0           6h44m
nginx-101     1/1     Running   0           6h45m
nginx-configmap 0/1     ContainerCreating 0           5s
nginx-secret   1/1     Running   0           5m39s
poller        1/1     Running   0           6h44m
student@node-1:~$ kubectl get pods
NAME          READY   STATUS    RESTARTS   AGE
liveness-http 1/1     Running   0           6h44m
nginx-101     1/1     Running   0           6h45m
nginx-configmap 1/1     Running   0           8s
nginx-secret   1/1     Running   0           5m42s
poller        1/1     Running   0           6h45m
student@node-1:~$

```

## Question: 5

Refer to Exhibit.



### Context

Your application's namespace requires a specific service account to be used.

### Task

Update the app-a deployment in the production namespace to run as the restrictedservice service account. The service account has already been created.

---

**Answer: See the solution below.**

---

Explanation:

Solution:

```
student@node-1:~$ kubectl get serviceaccount -n production
NAME          SECRETS  AGE
default       1        6h46m
restrictedservice 1        6h46m
student@node-1:~$ kubectl get deployment -n production
NAME    READY  UP-TO-DATE  AVAILABLE  AGE
app-a   3/3    3           3          6h46m
student@node-1:~$ kubectl set serviceaccount deployment app-a restrictedservice -n production
deployment.apps/app-a serviceaccount updated
student@node-1:~$
```



**Thank you for your visit.**  
**To try more exams, please visit below link**

---